



DESIGN SPECIFICATIONS	
AIRFLOW (HIGH SPEED)	1500 ACFM
AIRFLOW (LOW SPEED)	750 ACFM
STATIC PRESSURE (HIGH SPEED)	2.5" W.G.
STATIC PRESSURE (LOW SPEED)	EXTERNAL TO FAN
PRESSURE	14.696 PSIA [1.01325 BAR]
TEMPERATURE	68 °F [20 °C]
VOLTAGE	28.0 VDC (NOM.)
HIGH SPEED	6,450 RPM
LOW SPEED	4,500 RPM
HIGH SPEED CURRENT	42 AMPS (MAX.)
LOW SPEED CURRENT	15 AMPS (MAX.)
WEIGHT	11.5 LBS (MAX.) [5.22 KG (MAX)]
OPERATING TEMPERATURE	-67°F TO 158°F [-55°C TO 70°C]
SHORT TIME OPERATION	-67°F TO 158°F [-55°C TO 70°C]
GROUND SURVIVAL	-67°F TO 185°F [-55°C TO 85°C]
ALTITUDE	-1K TO 45K FT



**PROPRIETARY NOTICE**  
 THIS DRAWING IS A PART OF THE PROPRIETARY ARTICLE HEREIN DISCLOSED, AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED BY ENVIRO SYSTEMS, INC. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE AND SHALL NOT BE DISCLOSED TO ANY UNAUTHORIZED PERSON, COMPANY, OR INCORPORATED IN ANY OTHER PROJECTS.

**ENVIRO SYSTEMS, INC.**  
 SEMINOLE, OKLAHOMA  
**FAN, VANE AXIAL, CONDENSER, 8.0 INCH**

SIZE: D 0B9E8 CAGE CODE: 1270800-DRAWING NO.: 1270800-CAT REV: B  
 SCALE: 1/2 WEIGHT: NOTED SHEET 1 OF 1